



LUMINAIRES CIRCULAIRES CIRCULAR LUMINAIRES

BRIARE

UNE ESTHÉTIQUE PRÉCIEUSE


Paré d'une couronne ouvragée aux courbes végétales, Briare affiche une esthétique Renaissance tout en prestige et préciosité. Sa forme cylindrique apporte style et raffinement aux places et parvis comme aux voies routières et piétonnes. Suspendu à une console décorative, Briare attire le regard pour un éclairage traditionnel et distingué qui trouvera sa place dans les sites historiques.

Equippé d'un réflecteur plat, de décorations en aluminium et d'un dôme en aluminium ou en cuivre repoussé, il est peint d'une couleur au choix pour embellir l'espace qui l'accueille.

PRECIOUS ESTHETICS

Adorned by a wrought crown with plant-like curves, Briare proposes a Renaissance style characterized by prestige and preciousness. Its cylindrical shape adds stylishness and refinement to public squares and in front of majestic buildings, as well as on roads and pedestrian paths. Suspended from a decorative console, Briare draws the eye with its distinguished traditional lighting which will easily find its place in historic sites. Fitted with a flat reflector, aluminium decorations and a dome in embossed copper or aluminium, it is painted in a choice of colours to set off the area in which it is placed.

Document non contractuel, toutes les informations sont susceptibles de modification sans préavis. / Non-contractual document, all information subject to change without notice.





BRIARE

LA GAMME / PRODUCT RANGE



POINTS FORTS



CARACTÉRISTIQUES TECHNIQUES

- Réflecteur plat pour grands espaces
- Dôme et décoration en cuivre ou aluminium



INSTALLATION & MAINTENANCE

- Installation et maintenance aisées



ESTHÉTIQUE

- Ligne Renaissance prestigieuse (idéal parvis, sites classés, centres historiques, etc.), caractère traditionnel orné de sa couronne circulaire
- Finition disponible en aluminium ou cuivre



RESPONSABILITÉ ENVIRONNEMENTALE ET SOCIÉTALE

- Conçu et fabriqué en France

HIGHLIGHTS

TECHNICAL CHARACTERISTICS

- Flat reflector for large areas
- Dome and decoration in copper or aluminium

INSTALLATION & MAINTENANCE

- Easy installation and maintenance

ESTHETICS

- Prestigious Renaissance line (ideal in front of majestic buildings, listed sites, historic centers, etc.), traditional character adorned with a circular crown
- Finish available in aluminium or copper


SOCIAL AND ENVIRONMENTAL RESPONSIBILITY

- Designed and made in France



LUMINAIRES | LUMINAIRES | BRIARE

BRIARE



CARACTÉRISTIQUES TECHNIQUES

MATÉRIAUX

Dôme : Aluminium ou cuivre repoussé
Décorations : Aluminium
Protection : ME (ME Resist sur demande)

FORME PROTECTION

Standard : Bloc optique vasque

FINITION PROTECTION

Standard : Givré
Options : Transparent, Blanc diffusant

FIXATION

Suspendu : 3/4" GAZ mâle

COULEUR STANDARD

RAL au choix

EN OPTION

Event IP 68 (voir p. 013)
Déconnexion à l'ouverture

OPTIQUES ET PUISSANCES MAXIMUM / OPTICALS AND MAXIMUM POWERS

Briare	Bloc optique Lampe verticale / Vertical lamp optical unit	
	SHP/IM / HPS/MH	100 W
	Cosmo	90 W
	Bloc optique Optoaled EVO / Optoaled EVO optical unit	
	Nous consulter / Consult us	

CLASSE ÉLECTRIQUE I & II / ELECTRICAL CLASS I & II

TECHNICAL SPECIFICATIONS

MATERIALS

Dome: Aluminium or embossed brass
Décoration: Aluminium
Protection: ME (ME Resist on request) or tempered glass

PROTECTION SHAPE

Standard: Bowl optical unit

PROTECTION FINISH

Standard: Frosted
Options: Transparent, Diffused white

MOUNTING

Top hanging: 3/4" BSPT male

STANDARD COLOR

On choice

OPTIONAL

IP 68 vent (see p. 013)
Disconnects upon opening



DIMENSIONS (mm) / DIMENSIONS (mm)	A	B	COEFFICIENT AÉRODYNAMIQUE SC_x (m²) / AERODYNAMIC COEFFICIENT $C_x S$ (m²)	POIDS (kg)* / WEIGHT (kg)* *sans appareillage / without control gear
Briare	402	480	0,08	4,5

INDICE DE PROTECTION Bloc optique PROTECTION INDEX - Optical unit	INDICE DE PROTECTION Logement électrique PROTECTION INDEX - Electrical housing	ÉNERGIE DE CHOC SHOCK RESISTANCE
IP 66	IP 44	IK 08 IK 10 (sur demande / on request)

PROPOSITIONS D'ENSEMBLES / SUGGESTIONS OF ENSEMBLES



BRIARE
PHOCÉENE 95



BRIARE
HORDONIA 70



BRIARE
PROVENÇALE



BRIARE
CASTINIA
AGORA 320



BRIARE
ALCIDE
HÉROS 410



BRIARE
OLYMPIA 65
ATRIUM 312